

Iveco Daily

Interurban



General information:

Model	50C / 65C
Full weight, kg	5,000 - 5,200 - 5,600 - 6,500
Engine, cm ³	2998
Power, HP/Kw	150/110 / 180/132
Gearbox	Manual / automatic
Emission	EURO VI

Dimensions:

Length, mm	7130 / 7500
Height, mm	2900 / 3100
Width, mm	2010
Wheel base, mm	4100
Inside length, mm	4680 / 5125
Inside height, mm	1850 / 2100
Inside width, mm	1800

Seats:

16	O
19	S
Guide (codriver) seat	O

Floor:

Flat floor with 2 Forveda rails	S
---------------------------------	---

Entrance area and door:

Original door, lowered and deepened Forveda entrance step	S
Electric mechanism for original door	O
Full electric Forveda front door	O
Electric factory front entrance door (Vendoor)	O

Deepened luggage boot:

Pjedestal for the last raw of the seats	S
Deepened luggage boot with the place for the spare wheel	S

Ceiling:

Roof hatch - emergency exit	S
Ventilator	S

Air conditioning system:

Inside AC 11.2 Kw CE-1200	S
---------------------------	---

Luggage racks:

Luggage racks with LED lightning in aluminum profile (day and night) and individual air and light modules	S
---	---

Heating:

Convectional heaters (radiators) in both side of the bus	S
--	---

Glasses:	
Double glasses to original places	S
Handrails:	
Left and right side in the entrance area	S
Partition behind the driver with tempered glass	S
Lighting:	
Lightning of the step	S
Lightning of deepened luggage boot	S
Clock	O
Video - Audio:	
Loudspeakers in passenger area	S
Radio player	S
CD - radio player	O
DAB system Pioneer integrated in the driver's panel	O
Microphone with the sprial wire	O
Gooseneck type microphone on the driver's pillar	O
19" mechanical monitor	O
Rear view camera	O
Rear view camera + monitor	O
USB connection at every seat raw	O
WiFi router	O
Destination signs:	
Destination sign in the Fiberglass box upon the driver's roof	O
Curtains:	
Curtains in the passenger area	O



More information [Iveco Daily Interurban](#)

If you have any questions – do not hesitate to contact us!

+370 679 17726
export@forveda.lt